

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
1	KBS-101 AGRICULTURAL SPRAYER ADI-KBS-BHOOMI10AH 2IN1		TANK : TANK EMBOSSED BRAND NAME TANK CAPACITY: 16 LITER RUNNING CAPACITY : 25-30 TANK BATTERY : HEAVY BATTERY BRAND BHOOMI 12V 10AH MOTOR : HEAVY MOTOR BRAND BHOOMI GREEN 4.0LPM BELT: CAR BELT WITH PAD & METAL CLIP WITH BHOOMI BRAND EXTRA FEATURE: SWITCH IN HAND STAINER : WHITE EXTRA : HEAVY HOSE , TRIGGER LANCE : BRASS NOZZLE : 8 HOLE BEND BRASS NOZZLE WARRANTY : 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
2	KBS-102 AGRICULTURAL SPRAYER ADI-KBS-BHOOMI12AH 2IN1		TANK: TANK EMBOSSED BRAND NAME TANK CAPACITY: 18 LITER RUNNING CAPACITY: 35 - 40 TANK BATTERY: HEAVY BATTERY BRAND BHOOMI 12V 12AH MOTOR: HEAVY MOTOR BRAND BHOOMI GREEN 6.0 LPM CHAMBER: STAINLESS STEEL CHAMBER BELT: CAR BELT WITH PAD & METAL CLIP WITH BHOOMI BRAND LANCE : BRASS NOZZLE : 8 HOLE BEND BRASS NOZZLE EXTRA FEATURE: TRIGGER WITH CONTROL STAINER: WHITE STAINER EXTRA: EXTRA HEAVY HOSE , EXTRA TRIGGER WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
3	KBS-103 AGRICULTURAL SPRAYER ADI-KBS-BHOOMI14AH BO		TANK: TANK EMBOSSED BRAND NAME TANK CAPACITY: 16 LITER, RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY BRAND BHOOMI 12V 14AH MOTOR: HEAVY MOTOR BRAND BHOOMI GREEN 6.0 LPM BELT: CAR BELT WITH PAD & METAL CLIP WITH BHOOMI BRAND EXTRA FEATURE: TRIGGER WITH CONTROL NOZZLE: 8 HOLE NOZZLE BRASS THREAD STAINER: WHITE STAINER WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
4	KBS-104 AGRICULTURAL SPRAYER ADI-KBS-BHOOMI DM		TANK: TANK EMBOSSED BRAND NAME TANK CAPACITY: 20 LITER, RUNNING CAPACITY: ____ TANK BATTERY: HEAVY BATTERY BRAND BHOOMI 12V 14AH MOTOR: HEAVY MOTOR BRAND BHOOMI GREEN 12 LPM BELT: CAR BELT WITH PAD & METAL CLIP WITH BHOOMI BRAND EXTRA FEATURE: TRIGGER STAINLESS STEEL NOZZLE: 8 HOLE NOZZLE BRASS THREAD STAINER: WHITE STAINER WARRANTY: 6 MONTHS GUARANTEE FOR BATTERY ONLY
5	KBS-105 AGRICULTURAL SPRAYER ADI-KBS-BHOOMI GOLD DM		TANK: NEW DESIGN EMBOSSED BRAND NAME TANK CAPACITY: 20 LITER, RUNNING CAPACITY: ____ TANK BATTERY: HEAVY BATTERY BHOOMI 12V 20 AH MOTOR: HIGH PRESSURE 10.LPM DOUBLE MOTOR BELT: CAR BELT WITH PAD & METAL CLIP WITH BHOOMI BRAND STAINER: WHITE STAINER BRASS: HALF BRASS 60CM GUN LANCE : HIGH PRESSURE BRASS LANCE NOZZLE : 8 HOLE WITH BRASS THREAD HOSE: HIGH PRESSURE HOSE CONNECTOR : BRASS CONNECTOR WARRANTY: GUARANTEE FOR 6 MONTHS FOR BATTERY ONLY

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
6	KBS-201 AGRICULTURAL SPRAYER ADI-KBS-HONNDAA 10AH 2IN1		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED CAPACITY: 16 LITER (PRINT 18L) RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 10AH MOTOR: MOTOR HEAVY 4LPM CHARGER: SPECIAL CHARGER WITH GREEN SOCKET 1.3AMP BELT: BELT GOOD QUALITY WITH PAD EXTRA FEATURE: HEAVY GREEN TRIGGER, HEAVY GREEN HOSE CAPACITY: 25-30 TANK RUNNING CAPACITY OF 18L WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY & CHARGER
7	KBS-202 AGRICULTURAL SPRAYER ADI-KBS-HONNDAA 12AH BO		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED TANK CAPACITY: 16 LITER (PRINT 18L) CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 12AH MOTOR: MOTOR HEAVY 4LPM CHARGER: SPECIAL CHARGER WITH GREEN SOCKET 2.0AMP BELT: BELT GOOD QUALITY WITH PAD EXTRA FEATURES: HEAVY GREEN TRIGGER HOSE: HEAVY GREEN HOSE CAPACITY: 30-40 TANK RUNNING CAPACITY OF 18L WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
	KBS-203 AGRICULTURAL SPRAYER ADI-KBS-HONNDAA DM		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED TANK CAPACITY: 18 LITER (PRINT 20L) RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 20AH MOTOR: MOTOR HEAVY 8LPM CHARGER: SPECIAL CHARGER WITH GREEN SOCKET 2.2AMP BELT: BELT GOOD QUALITY WITH PAD HOSE: HEAVY GREEN HOSE CAPACITY: 20-25 TANK RUNNING CAPACITY OF 18L WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
8	KBS-301 AGRICULTURAL SPRAYER ADI-KBS-SUZZKKI 10AH 2IN1		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED WITH UNIQI STYLE CAPACITY: 25-30 TANK RUNNING CAPACITY BATTERY: HEAVY BATTERY BRAND SUZZKKI 12V 10AH MOTOR: HEAVY MOTOR BRAND SUZZKKI 4.0LPM BELT: HEAVY CAR BELT STAINER: WHITE STAINER HOSE: HEAVY ORANGE HOSE WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
9	KBS-302 AGRICULTURAL SPRAYER ADI-KBS-SUZZKKI 12AH BO		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED BATTERY: HEAVY BATTERY BRAND SUZZKKI 12V 12AH MOTOR: HEAVY MOTOR BRAND SUZZKKI 4.0 LPM BELT: HEAVY CAR BELT PADDED STAINER: WHITE STAINER HOSE: HEAVY ORANGE HOSE LANCE: HALF BRASS BEND LANCE NOZZLE : 8 HOEL NOZZLE BRASS TRIGGER : HEAVY TRIGGER WITH CONTROL WARRANTY: 6 MONTHS GUARANTEE FOR BATTERY & MOTOR WARRANTY CARD: WITH WARRANTY CARD BARCODE : BATTERY & MOTOR HAVE BAR CODE

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
11	KBS-303 AGRICULTURAL SPRAYER ADI-KBS-SUZZKKI DM		
12	KBS-401 AGRICULTURAL SPRAYER ADI-KBS-GARUDA 10AH BO		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED CAPACITY: 16 LITER (PRINT - 18L) RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 10AH MOTOR: MOTOR HEAVY 4LPM CHARGER: CHARGER 1.3AMP BELT: BELT CAR WITH PAD WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY TANK
13	KBS-402 AGRICULTURAL SPRAYER ADI-KBS-GARUDA 12AH BO		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED CAPACITY: 16 LITER RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 12AH MOTOR: MOTOR HEAVY 4LPM CHARGER: CHARGER 2.0AMP BELT: BELT CAR WITH PAD WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY TANK
14	KBS-403 AGRICULTURAL SPRAYER ADI-KBS-GARUDA 10AH 2IN1		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED CAPACITY: 16 LITER (PRINT 18L) RUNNING CAPACITY : ____ TANK BATTERY: HEAVY BATTERY 10AH MOTOR: MOTOR HEAVY 4LPM CHARGER: CHARGER 2.0AMP BELT: BELT CAR WITH PAD WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY TANK
15	KBS-404 AGRICULTURAL SPRAYER ADI-KBS-GARUDA DM		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED TANK CAPACITY: 18 LITER (PRINT - 20L), RUNNING CAPACITY: ____ TANK BATTERY: HEAVY BATTERY BHOOMI 12V 16 AH MOTOR: HIGH PRESSURE 8LPM DOUBLE MOTOR BELT: CAR BELT WITH PAD STAINER: WHITE STAINER BRASS: HALF BRASS 60CM GUN LANCE : SS LANCE & 3 NOZZLE SS GUN HOSE: HEAVY ORANEG HOSE WARRANTY: GUARANTEE FOR 6 MONTHS FOR BATTERY ONLY


ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
	KBS-501 AGRICULTURAL SPRAYER ADI-KBS-SHAKTI 8AH 2IN1		
17	KBS-502 AGRICULTURAL SPRAYER ADI-KBS-SHAKTI DM		TANK CAPACITY: 20 LITER CAPACITY : ____ TANK CAPACITY OF 12V 12AH MOTOR : 8LPM CAPACITY: TANK CAPACITY OF 20L LANCE: SS LANCE BELT: CAR BELT WITH PAD GUN: HALF BRASS GUN 45CM GUARANTEE: 6 MONTHS FOR BATTERY RUNNING BATTERY: BATTERY
18	KBS-601 AGRICULTURAL SPRAYER ADI-KBS-KISAN 12AH BO		TANK CAPACITY: 16 LITER (PRINT - 18L) RUNNING CAPACITY : ____ TANK BATTERY CAPACITY OF 12V 12AH MOTOR: MOTOR 4LPM EXTRA: BATTERY OPERATED BELT: REGULAR BELT BATTERY:
19	KBS-602 AGRICULTURAL SPRAYER ADI-KBS-KISAN 8AH 2IN1		TANK CAPACITY: 16 LITER (PRINT 18L) RUNNING CAPACITY : ____ TANK BATTERY CAPACITY OF 12V 8AH MOTOR: MOTOR 4LPM BELT: CAR BELT BATTERY:
20	KBS-603 AGRICULTURAL SPRAYER ADI-KBS-KISAN DM		TANK CAPACITY: 18 LITER (PRINT 20L) RUNNING CAPACITY : ____ TANK BATTERY CAPACITY OF 12V 12AH MOTOR: MOTOR 8LPM LANCE: SS LANCE BELT: CAR BELT GUN: HALF BRASS GUN 60CM BATTERY:

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
21	KBS-701 AGRICULTURAL SPRAYER ADI-KBS-JAIKISAN 8AH 2IN1		TANK CAPACITY: 16 LITER (PRINT 18L) RUNNING CAPACITY : ____ TANK BATTERY CAPACITY OF 12V 8AH MOTOR: MOTOR 4LPM BELT: CAR BELT BATTERY:
22	KBS-702 AGRICULTURAL SPRAYER ADI-KBS-JAIKISAN DM		TANK CAPACITY: 18 LITER (PRINT 20L) RUNNING CAPACITY : ____ TANK BATTERY CAPACITY OF 12V 12AH MOTOR: MOTOR 8LPM LANCE: SS LANCE BELT: CAR BELT GUN: HALF BRASS GUN 60CM BATTERY:
24	AGRICULTURAL SPRAYER ADI-KBS-SUZZKKI 8AH 2IN1		TANK: TANK AND CHAMBER 1ST QUALITY PLASTIC USED WITH UNIQUE STYLE CAPACITY: 25-30 TANK RUNNING CAPACITY BATTERY: HEAVY BATTERY BRAND SUZZKKI 12V 8AH MOTOR: HEAVY MOTOR BRAND SUZZKKI 4.0LPM BELT: HEAVY CAR BELT STAINER: WHITE STAINER HOSE: HEAVY ORANGE HOSE WARRANTY: 6 MONTHS GUARANTEE FOR MOTOR & BATTERY
25	PBS-101 AGRICULTURAL PORTABLE SPRAYER BHOOOI		BATTERY HEAVY 12V 14AH MOTOR 12 LPM 15MTR HEAVY 3PLY OUTPUT HOSE 3MTR INPUT HOSE STYLISH GUN WITH CAP POWER CHARGER 2.0A
26	PBS-102 AGRICULTURAL PORTABLE SPRAYER HONNDDA		12V/12AH, 15MTR HOSE, HEAVY GUN

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
27	PBS-103 AGRICULTURAL PORTABLE SPRAYER SUZZKKI WITHOUT HOSE	 PORTABLE SPRAYER SUZZKKI	BATTERY HEAVY 12V 14AH MOTOR 10 LPM 3MTR INPUT HOSE 2.0A POWER CHARGER
28	ELECTRIC PORTABLE		ELECTRIC PORTABLE SPRAYER
29	AGRICULTURAL MANUAL SPRAYER 1 LITER		GARDEN SPRAYER 1 L
30	AGRICULTURAL MANUAL SPRAYER 2 LITER		GARDEN SPRAYER 2L
31	AGRICULTURAL MANUAL SPRAYER 5 LITER		GARDEN SPRAYER 5LTR

ADIYOGI INTERNATIONAL			
BATTERY SPRAYER - VERSION-V3.08.23			
SL. NO	ITEM CODE	PICTURE	ITEM DESCRIPTION
32	SPRAYER BLOWER		BLOWER
PRICES INCLUDING GST			

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
1	HTP-201 AGRICULTURAL HTP SPRAYER SET ADI-HTP-S22-F	HTP SPRAYER SET 4 STROKE PETROL ENGINE, 5 MTR SS TRANSPARENT SUCTION HOSE 2.3 MTR YELLOW OVERFLOW HOSE.	Engine Type : 168F 4 Stroke Petrol Engine Power (HP): 5.5 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 9.8 Fuel Tank : 3.6L Suction(L/min) : 22 Verticle Range (m): 10-13 Net Weight (Kg) : 14	
2	HTP-202 AGRICULTURAL HTP SPRAYER SET ADI-HTP-S30-F	HTP SPRAYER SET 4 STROKE PETROL ENGINE, 5 MTR SS TRANSPARENT SUCTION HOSE 2.3 MTR YELLOW OVERFLOW HOSE.	Engine Type : 168F 4 Stroke Petrol Engine Power (HP): 6.5 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 12.7 Fuel Tank : 3.6L/4L Suction(L/min) : 30 Verticle Range (m): 13-15 Net Weight (Kg) : 14	
3	HTP-203 AGRICULTURAL HTP SPRAYER SET ADI-HTP-25XZ	HTP SPRAYER SET 4 STROKE PETROL ENGINE , 5.5HP GASOLINE ENGINE. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Engine Type : 168F, Petrol 4 stroke Engine Power (HP): 5.5 Plunger no*dia*stroke (mm): 3*25*9.5 Spraying Pressure (kg/cm2): 10-45 Suction(L/min) : 22 Verticle Range (m): 13-15 Net Weight (kg): 24	
4	HTP-204 AGRICULTURAL HTP SPRAYER SET ADI-HTP-328CZ	HTP SPRAYER SET 328C POWER SPRAYER, 5.5HP GASOLINE ENGINE. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Engine Type : 168F 4 Stroke Petrol Engine Power (HP): 5.5 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 12.7 Fuel Tank : 3.6L/4L Suction(L/min) : 30 Verticle Range (m): 13-15 Net Weight (Kg) : 14	
5	HTP-205 AGRICULTURAL HTP SPRAYER SET ADI-HTP-628CZ	HTP SPRAYER SET 628C POWER SPRAYER, 6.5HP GASOLINE ENGINE. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Engine Type : 168F 4 Stroke Petrol Engine Power (HP): 6.5 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 12.7 Fuel Tank : 3.6L/4L Suction(L/min) : 30 Verticle Range (m): 13-15 Net Weight (Kg) : 14	

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
6	HTP-301 AGRICULTURAL HTP SPRAYER SET ADI-HTP-EL22A1	HTP ELECTRIC SPRAYER SET 1.5KW MOTOR 22A1 GRAY COLOR PUMP 2 PCS 1/4 COCK , FRAME BLACK COLOR , 5 MTR SS TRANSPARENT SUCTION HOSE AND 2.3 MTR YELLOW OVERFLOW HOSE. WITH GUN	Power (HP): 2.5 Suction(L/min) : 13-22 Spraying Pressure (kg/cm2): 10-40 Net Weight (kg): 10	
7	HTTP-101 AGRICULTURAL HTP SPRAYER ADI-HTPP-22A1	HTP PUMP CAST IRON. WITH 2*1/4 INCH OUTLET COCK. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Plunger no*dia*stroke (mm): 3*22*16 Spraying Pressure (kg/cm2): 10-40 Suction(L/min) : 13-22 Engine Power (HP): 4.5-5.5 Net Weight (kg): 10	
8	HTTP-102 AGRICULTURAL HTP SPRAYER ADI-HTPP-30A1	HTP PUMP CAST IRON. WITH 2*1/4 INCH OUTLET COCK. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Plunger no*dia*stroke (mm): 3*30*20 Spraying Pressure (kg/cm2): 10-40 Suction(L/min) : 30-45 Engine Power (HP): 4.5-6.5 Net Weight (kg): 10	
9	HTTP-103 AGRICULTURAL HTP SPRAYER ADI-HTPP-50A1	HTP PUMP CAST IRON. WITH 2*1/4 INCH OUTLET COCK. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Plunger no*dia*stroke (mm): 3*30*30 Spraying Pressure (kg/cm2): 10-40 Suction(L/min) : 45-60 Engine Power (HP): 5.5 - 7 Net Weight (kg): 12	
10	HTTP-104 AGRICULTURAL HTP SPRAYER ADI-HTPP-50B3	HTP PUMP CAST IRON. WITH 2*1/4 INCH OUTLET COCK. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Plunger no*dia*stroke (mm): 3*30*30 Spraying Pressure (kg/cm2): 10-40 Suction(L/min) : 45-60 Engine Power (HP): 5.5 - 7 Net Weight (kg): 12	

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
11	HTTP-105 AGRICULTURAL HTP SPRAYER ADI-HTTP-80A1	HTP PUMP CAST IRON. WITH 2*1/4 1*3/4 INCH OUTLET COCK. 2.3M SS TRANSPARENT SUCTION AND YELLOW OVERFLOW HOSE.	Plunger no*dia*stroke (mm): 3*34*32 Spraying Pressure (kg/cm2): 10-40 Suction(L/min) : 45-75 Engine Power (HP): 5.5 - 9 Net Weight (kg): 20	
12	KPS-101 AGRICULTURAL POWER SPRAYER ADI-KPS-708-139F	ACK POWER SPRAYER 4 STROKE, BRASS PUMP, 139F ENGINE. 90CM BRASS GUN. 1.2M DELIVERY HOSE.	Engine Type : 139F, 4 Stroke Petrol Engine Power (HP): 1 Displacement (CC): 31 Chemical Tank (L): 20 Spraying Pressure(L/min) :8-9 Net Weight (Kg) : 9	
13	KPS-102 AGRICULTURAL POWER SPRAYER ADI-KPS-708-GX25	ACK POWER SPRAYER 4 STROKE, BRASS PUMP, GX25 ENGINE. 90CM BRASS GUN. 3NOZZLE SET. 1.2M DELIVERY HOSE.	Engine Type : GX25, 4 Stroke Petrol Engine Power (HP): 1 Displacement (CC): 25 Chemical Tank (L): 20 Spraying Pressure(L/min) :8-9 Net Weight (Kg) : 9	
14	KPS-103 AGRICULTURAL POWER SPRAYER ADI-KPS-768-GX35	APSACK POWER SPRAYER 4 STROKE, BRASS PUMP, GX35 ENGINE. 90CM BRASS GUN. 3NOZZLE SET. 1.2M DELIVERY HOSE.	Engine Type: GX35, 4 Stroke Petrol Engine Power (HP): 1 Displacement (CC): 35 Chemical Tank (L): 20 Spraying Pressure(L/min) :8-9 Net Weight (Kg): 9	
	KPS-103A AGRICULTURAL POWER SPRAYER ADI-KPS-4035-GX35 LUXURY			

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
15	KPS-104 AGRICULTURAL POWER SPRAYER ADI-KPS-708-TU26	KNAPSACK POWER SPRAYER 2 STROKE , ALUMINIUM PUMP, BIG EASY STARTER. RUIXING CARBURETOR. MS PLUNGER. 90CM BRASS GUN, 1.2M DELIVERY HOSE.	Engine Type : TU26 , 2 Stroke Engine Power (HP): 0.7 Displacement (CC): 26 Petrol/Oil mixture ratio : 25:1 Chemical Tank (L): 20 Spraying Pressure(L/min) : 7-8 Net Weight (Kg) : 9	
	KPS-104B AGRICULTURAL POWER SPRAYER ADI-KPS-708-TU26 BRASS	ADIYOGI BRAND KNAPSACK POWER SPRAYER 2 STROKE , TU 26 ENGINE EASY STARTER, STABLE CARBURATOR BRASS PUMP, 708 TANK , 90CM BRASS GUN, 1.2M DELIVERY HOSE, LEATHER BELT , SS FILTER , COMFORTABLE CUSHION , HONDA TYPE SWITCH	Engine Type : TU26 , 2 Stroke Engine Power (HP): 0.7 Displacement (CC): 26 Petrol/Oil mixture ratio : 25:1 Fuel tank capacity (ML) : 650 Chemical Tank (L): 20 Spraying Pressure(L/min) : 7-8 Plunger Diameter(MM) : 18 Net Weight (Kg) : 9	
	KPS-104A AGRICULTURAL POWER SPRAYER ADI-KPS-708-TU26H PREMIUM	ADIYOGI BRAND KNAPSACK POWER SPRAYER 2 STROKE , TU 26 HUSQVARNA ENGINE EASY STARTER, HONDA PUMP WITH SS PLUNGER HUSQVARNA TANK , 90CM BRASS GUN, 3 NOZZLE SET & EXTENSION GUN 1.2M DELIVERY HOSE, HONDA BELT , DOUBLE SS FILTER , HONDA COMFORTABLE CUSHION , HONDA TYPE SWITCH		ARRIVING SOON
16	KPS-105 AGRICULTURAL POWER MIST DUSTER 3W-I700 2 STROKE 17 L	KNAPSACK POWER SPRAYER		
17	PPS-101 AGRICULTURAL PORTABLE SPRAYER ADI-PPS-35S-GX35	PORTABLE POWER SPRAYER 4 STROKE ,BRASS PUMP,SS PLUNGER, GX35 ENGINE 30CM BRASS GUN ,1.5MTR SUCTION AND OVERFLOW HOSE	Engine Type: GX35, 4 Stroke Petrol Engine Power (HP): 1.3 Displacement (CC): 35 Spraying Pressure(L/min) : 10-11 Suction (L/Min): 10-12 Net Weight (KG): 10	

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
18	PPS-102 AGRICULTURAL PORTABLE SPRAYER ADI-PPS-5080-GX50	TABLE POWER SPRAYER 4 STROKE ,BRASS PUMP,SS PLUNGER, GX50 ENGINE 30CM BRASS GUN ,1.5MTR SUCTION AND OVERFLOW HOSE	Engine Type: GX50 , 4 Stroke Petrol Engine Power (HP): 1.3 Displacement (CC): 50 Spraying Pressure(L/min) : 10-11 Suction (L/Min): 10-12 Net Weight (KG): 10	
19	PPS-201 AGRICULTURAL PORTABLE SPRAYER ADI-PPS-768-GX35	TABLE POWER SPRAYER 4 STROKE ,BRASS PUMP,SS PLUNGER, GX35 ENGINE 30CM BRASS GUN, 3MTR SUCTION, 3MTR OVERFLOW HOSE AND 15MTR DELIVERY HOSE	Engine Type: GX35 , 4 Stroke Petrol Engine Power (HP): 1.3 Displacement (CC): 35 Spraying Pressure(L/min) : 10-11 Suction (L/Min): 10-12 Net Weight (KG): 10	
20	PPS-202 AGRICULTURAL PORTABLE SPRAYER ADI-PPS-768-TU26	TABLE POWER SPRAYER 2 STROKE ,BRASS PUMP, SS PLUNGER, TU26 ENGINE, BIG EASY STARTER, RUIXING CARBURETOR 30CM BRASS GUN, 1.5MTR SUCTION AND OVERFLOW HOSE, 15MTR DELIVERY HOSE	Engine Type: TU26, 2 Stroke Engine Power (HP): 0.7 Displacement (CC): 26 Petrol/Oil mixture ratio: 25:1 Spraying Pressure(L/min) : 7-8 Suction (L/Min): 6-8 Net Weight (KG): 8	
21	PPS-203 AGRICULTURAL PORTABLE SPRAYER ADI-PPS-768-139F	TABLE POWER SPRAYER 4 STROKE ,BRASS PUMP,SS PLUNGER, 139F ENGINE 30CM BRASS GUN, 3MTR SUCTION, 3MTR OVERFLOW HOSE AND 15MTR DELIVERY HOSE	Engine Type: 139F , 4 Stroke Petrol Engine Power (HP): 1.3 Displacement (CC): 35 Spraying Pressure(L/min) : 10-11 Suction (L/Min): 10-12 Net Weight (KG): 10	
22	PSE-101 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-168F	ENGINE 4 STROKE ENGINE 168F - 7HP	Engine Type : 168F 4 Stroke Petrol Engine Power (HP): 7 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 9.8 Fuel Tank : 3.6L Net Weight (KG): 14.3	

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
23	PSE-102 AGRICULTURAL POWER SPRAYER ADI-SE-168F-1	ENGINE STROKE ENGINE 168F - 1- 6.5HP	Engine Type : 168F-1 ,4 Stroke Petrol Engine Power (HP): 6.5 Engine Type: Air Cooled 4 stroke OHV Single Cylinder Max Torque (NM) : 12.7 Fuel Tank : 3.6L Net Weight (KG): 14.3	
24	PSE-103 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-GX35	ENGINE 4 STROKE ENGINE GX 35	Engine Type: GX35, 4 Stroke Petrol Engine Power (HP): 1.3 Displacement (CC): 35 Net Weight (Kg): 3.5	
25	PSE-104 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-TU26	ENGINE 2-STROKE ENGINE TU 26 BIG EASY STARTER,	Engine Type: TU26, 2 Stroke Petrol Engine Power (HP): 0.7 Displacement (CC): 26 Net Weight (Kg): 2.5	
	PSE-105 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-TU26H			
	PSE-106 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-1E34F			

ADIYOGI INTERNATIONAL				
POWER SPRAYER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
	PSE-107 AGRICULTURAL POWER SPRAYER ENGINE ADI-SE-GX25			
26	WP-101 AGRICULTURAL WATER PUMP ADI-WPP-20B	WATER PUMP 2 INCH , 4 STROKE	Engine Type: 168F, 4 Stroke Petrol Engine Power (HP): 5.5 Displacement (CC): 168 Lift Max (M) Vertical : 22 Suction (M): 7 Outlet (Inch) : 2 Max Water Displacement(M3/H) : 30 Net Weight (KG): 21.8	
27	WP-102 AGRICULTURAL WATER PUMP ADI-WPP-30B	WATER PUMP 3 INCH , 4 STROKE	Engine Type: 168F-1 , 4 Stroke Petrol Engine Power (HP): 6.5 Displacement (CC): 208 Lift Max (M) Vertical : 26 Suction (M): 7 Outlet (Inch) : 3 Max Water Displacement(M3/H) : 60 Net Weight (KG): 24	
PRICES INCLUDING GST				

ADIYOGI INTERNATIONAL				
POWER TOOLS - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
1	BC-101 AGRICULTURAL BAFFLE REAPER ADI-BC-SP-430 LUXURY	Adiyogi Brand 2Stroke Brush cutter, 43CC, Original Japanese Walbro Carburator, Shaft Aluminium Trimmer Head Easy Fit, Luxury Double Belt , Honda Belt Holder, Honda 2 Speed Switch Handle, Honda Gear Box , Clutch Housing Mori Double Bearing , Italian Handle Base , 3T & 80T Blade, Easy starter	Engine : 1E40F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 43 Rated output power (KW): 1.25 Idle speed (R/MIN) : 3000-3500 High speed (R/MIN) : 9000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
2	BC-102A AGRICULTURAL BAFFLE REAPER ADI-BC-SP-520F	Adiyogi Brand 2Stroke Brush cutter, 52CC, Haushang Switch Handle, Shaft Aluminium Stihl Trimmer Head, Premium Double Belt with Logo , Clutch Heavy, Haulong Carburator, 3T Blade, Helmet Gloves Warantee Card	Engine : 1E44F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 52 Rated output power (KW): 1.45 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
3	BC-103 AGRICULTURAL BAFFLE REAPER ADI-BC-SP-520 PREMIUM	Adiyogi Brand 2Stroke Brush cutter, 52CC, Honda Switch Handle, Shaft Aluminium Stihl Trimmer Head, Premium Double Belt , Honda Belt Holder, Clutch Housing Double Bearing , Honda Gear Box , Kawasaki Handle Base , Yinlong Carburator, 3T & 80T Blade, Easy starter	Engine : 1E44F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 52 Rated output power (KW): 1.45 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
	BC-104 AGRICULTURAL BAFFLE REAPER ADI-BC-SP- 430 WALBRO	2Stroke Brush cutter, 43CC, Original Japanese Walbro Carburator, Shaft Aluminium Stihl Trimmer Head, Honda Switch Handle, Honda Single Shoulder Belt , Honda Belt Holder, Honda Clutch Housing , Honda Gear Box , Honda Handle Base , Honda Blade Guard 2T Blade, Easy starter	Engine : 1E40F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 43 Rated output power (KW): 1.25 Idle speed (R/MIN) : 3000-3500 High speed (R/MIN) : 9000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 168	ARRIVING SOON
	BC-105 AGRICULTURAL BAFFLE REAPER ADI-BC-SP- 520 WALBRO	2Stroke Brush cutter, 52CC, Original Japanese Walbro Carburator, Shaft Aluminium Trimmer Head Easy Fit, Honda Switch Handle, Honda Double Shoulder Belt , Honda Belt Holder, Honda Clutch Housing , Honda Gear Box , Honda Handle Base , Honda Blade Guard 2T Blade, Easy starter	Engine : 1E44F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 52 Rated output power (KW): 1.45 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 160	ARRIVING SOON
	BC-106 AGRICULTURAL BAFFLE REAPER ADI-BC-SP-520 ECO	Kisan Brand 2Stroke Brush cutter, 52CC, Shaft Aluminium Single Belt , 3T Blade , Nylon Cutter	Engine : 1E44F-5 Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 52 Rated output power (KW): 1.45 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (MM) : 28 Shaft length (CM) : 160	

ADIYOGI INTERNATIONAL				
POWER TOOLS - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
4	BC-401 AGRICULTURAL BAFFLE REAPER ADI-BC-BP-520	BAFFLE REAPER 2Stroke Brush cutter, 52cc, Double harness, A nylon cutter, 3T/80T Blade, Easy starter, 26mm shaft, Red MACHINE	Engine Type : 2 stroke, Petrol , air cooled, single cylinder Displacement (CC) : 52 Rated output power (KW): 1.45 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1250 Petrol/Oil mixture ratio : 25:1 Shaft diameter (M) : 28	
	BC-301 AGRICULTURAL BRUSH CUTTER ADI-BC-SP-GX35 ECONOMY	4Stroke Brush cutter, 35.8CC, Shaft Aluminium , Premium Double Belt Yinlong Carburator, 3T Blade	Engine model: GX35 Engine Type : 4 stroke, Petrol air cooled, single cylinder Displacement (CC) : 35.8 Rated output power (KW) : 0.8 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 650 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
	BC-302 AGRICULTURAL BRUSH CUTTER ADI-BC-SP-GX35 PREMIUM	Adiyogi Bhoomi Brand 4Stroke Brush cutter, 35.8CC, Shaft Aluminium , Stihl Trimmer Head, Honda Switch Handle, Honda Premium Double Belt , Honda Belt Holder, Honda Clutch Housing , Honda Gear Box , Honda Blade Guard , Kawasaki Handle Base , Yinba Carburator, 3T Blade, Easy starter	Engine : GX35 Engine Type : 4 stroke, Petrol air cooled, single cylinder Displacement (CC) : 35.8 Rated output power (KW) : 1.3 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 650 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
	BC-303 AGRICULTURAL BRUSH CUTTER ADI-BC-SP-GX50 LUXURY	Adiyogi Bhoomi Brand 4Stroke Brush cutter, 50CC, Honda 2 Speed Switch Handle, Shaft Aluminium Trimmer Head Easy Fit, Luxury Double Belt , Honda Belt Holder, Mori Clutch Housing , Mori Gear Box , Italian Handle Base , Yinba Carburator, 3T Blade, Easy starter	Engine : GX50 Engine Type : 4 stroke, Petrol air cooled, single cylinder Displacement (CC) : 50 Rated output power (KW) : 1.5 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 650 Shaft diameter (MM) : 28 Shaft length (CM) : 160	
5	CM -101 AGRICULTURAL CRIMPING MACHINE 8.5-10MM	CRIMPING MACHINE	Hose Inner Dia : 8.5MM-10MM	

ADIYOGI INTERNATIONAL				
POWER TOOLS - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
	CN - 101 AGRICULTURAL CHAINSAW ADI-CN-58H ECONOMY	2STROKE	Engine Type : 2 Stroke , Petrol Displacement (CC) : 58 Chain Pitch / Gauge: 0,325" / 0,058" Bar length(Inch) : 18 Chain Length (Inch) : 18 Max. Engine Speed (RPM) :10,000 Power Rating 2.2 kW / 2.95 HP Idle speed (RPM) :3,000 Noise Level (dB(A)): 113 Petrol / Oil Mixture Ratio : 25:1 Fuel Tank Capacity (ML) : 550 Oil Tank Capacity (ML) : 260 Net Weight with Bar/Chain (KG) : 6.3	
7	CN - 102 AGRICULTURAL CHAINSAW ADI-CN-58D PREMIUM	CHAIN SAW 2STROKE	Engine Type : 2 Stroke , Petrol Displacement (CC) : 58 Chain Pitch / Gauge: 0,325" / 0,058" Bar length(Inch) : 20 Chain Length (Inch) : 18 Max. Engine Speed (RPM) :10,000 Rated Output Power : 1.9 kW / 2.95 HP Idle speed (RPM) :3,000 Noise Level (dB(A)): 113 Petrol / Oil Mixture Ratio : 40:1 Fuel Tank Capacity (ML) : 550 Oil Tank Capacity (ML) : 260 Net Weight with Bar/Chain (KG) : 6.3	
8	EA -101 AGRICULTURAL EARTH AUGER ADI-EA-520	AUGER	Engine Type : , 1-cylinder 2-stroke, Air-cooling Displacement (CC) : 52 Idling Speed (RPM) : 3000±200 Fuel Tank Capacity (ML) : 1250 Petrol /Gasoline Mix Ratio : 25:1 Rated Output Power 1.45kw/8000r/min Drill Diameter (MM) : 30-200	
9	EA -102 AGRICULTURAL EARTH AUGER ADI-EA-630	EARTH AUGER 2 STROKE HUALONG CARBURATOR	Engine : 1E48F Engine Type : 2 Stroke Petrol,air cooled,single cylinder Displacement (CC) : 63 Rated output power (KW): 2.2 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 1200 Petrol/Oil mixture ratio : 25:1	
10	EA -103 AGRICULTURAL EARTH AUGER ADI-EA-GX35	EARTH AUGER 4 STROKE YINBA CARBURATOR	Engine model: GX35 Engine Type : 4 stroke, Petrol air cooled,single cylinder Displacement (CC) : 35.8 Rated output power (KW) : 0.8 Idle speed (R/MIN) : 2800-3200 High speed (R/MIN) : 8000 Fuel tank capacity (ML) : 650	
11	AGRICULTURAL PORTBALE PRESSURE SPRAYER ADI-PW-308 BHOOMI	PRESSURE WASHER	Winding: Copper Winding Pressure: 80 Bar/1000 PSI Flow: 10LPM Power: 1.3KW Gross Weight: 11KG RPM : 2800/	

ADIYOGI INTERNATIONAL				
POWER TOOLS - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
16	AGRICULTURAL BLOWER ADI-BL-260BV	BLOW/VACUUM	Engine type : 1-cylinder, 2-stroke, Air-cooling Displacement (CC) : 26 Max Power 0.75kw/8000r/min Air volume (M3/h) : 540 Idling speed (RPM) : 3000±200 Petrol/ Oil Mixture Ratio : 25:1 Fuel Tank Capacity (ML) : 450 Noise Level (DB/A) : 90 Air speed : 68M/S, 245km/h	
18	AGRICULTURAL HOSE CRIMPING MACHINE 20TA 16-32MM	HOSE CRIMPING MACHINE	Hose Inner Dia : 12-18MM	
19	AGRICULTURAL HOSE CRIMPING MACHINE 20TB - 22-38MM	HOSE CRIMPING MACHINE	Hose Inner Dia : 18MM-34MM	
PRICES INCLUDING GST				

ADIYOGI INTERNATIONAL				
WEEDER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
1	MT- 101 AGRICULTURAL MINI TILLER ADI-MT52B ECONOMY	MINI TILLER	Engine type : 1-cylinder, 2-stroke, Air-cooling Displacement(CC): 52 Max Power : 1.45kw/7500r/min Idling speed (RPM) : 3000±200 Fuel tank capacity (ML) : 1250 Petrol/Oil mixing ratio: 25:1 Working depth (MM) : 120 Thickness of the cutters (MM) : 1.6 Axis diameter (MM) : 19	
2	MT- 102 AGRICULTURAL MINI TILLER ADI-MT-BE-63A ECONOMY	MINI TILLER	Engine type : 1-cylinder, 2-stroke, Air-cooling Displacement(CC): 63 Max Power : 1.45kw/7500r/min Idling speed (RPM) : 3000±200 Fuel tank capacity (ML) : 1250 Petrol/Oil mixing ratio: 25:1 Working depth (MM) : 120 Thickness of the cutters (MM) : 1.6 Axis diameter (MM) : 19	
3	MT-103 AGRICULTURAL MINI TILLER ADI-MT-BE-63 PREMIUM	MINI TILLER	Engine type : 1-cylinder, 2-stroke, Air-cooling Displacement(CC): 63 Max Power : 1.45kw/7500r/min Idling speed (RPM) : 3000±200 Fuel tank capacity (ML) : 1250 Petrol/Oil mixing ratio: 25:1 Working depth (MM) : 120 Thickness of the cutters (MM) : 1.6 Axis diameter (MM) : 19	
4	PWP - 101 AGRICULTURAL POWER WEEDER ADI-170P	POWER WEEDER 7HP PETROL	Engine Type : 170F Displacement(CC) : 208 Max Power : 4.1 KW/3600 RPM Fuel : Petrol Fuel tank capacity (L) : 3.6 Starting System : Recoil Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Arc Type , Up/Down Tyre : 4.00-8 Pneumatic Side Disc : 1 Set Blades (Dry Blade) : 32 (2+1+1) Tilling Scope (MM) : 1000 Tilling Depth (MM) : 150-300 Weight (KG) : 91 Packing : Wooden	

ADIYOGI INTERNATIONAL				
WEEDER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
5	PWP - 102 AGRICULTURAL POWER WEEDER ADI-170GB	POWER WEEDER 7HP PETROL (LIGHT WEIGHT)	Engine Type : 170F Displacement(CC) : 208 Max Power : 4.1 KW/3600 RPM Fuel : Petrol Fuel tank capacity (L) : 3.6 Starting System : Recoil Transmission : Gear Driven Gear Shifting : -1,2,0,1 Gear Box structure : Mountain Climbing Handle Bar System : Arc Type , Up/Down Tyre : 4.00-8 Pneumatic Side Disc : 1 Set Blades (Dry Blade) : 32 (2+1+1) Tilling Scope (MM) : 1000 Tilling Depth (MM) : 150-300 Weight (KG) : 78 Packing : Wooden	
6	PWP - 103 AGRICULTURAL POWER WEEDER ADI-177P	POWER WEEDER 9HP PETROL	Engine Type : 177F Displacement(CC) : 270 Max Power : 5.0 KW/3600 RPM Fuel : Petrol Fuel tank capacity (L) : 6.0 Starting System : Recoil Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Up/Down , Left/Right Tyre : 4.00-8 Pneumatic Side Disc : 1 Set Front Bumper : Available Blades (Dry Blade) : 32 (3+1) Tilling Scope (MM) : 1150 Tilling Depth (MM) : 150-300 Weight (KG) : 140 Packing : Wooden	
7	PWP - 104 AGRICULTURAL POWER WEEDER ADI-170P KISAN	POWER WEEDER 7HP PETROL	Engine Type : 170F Displacement(CC) : 208 Max Power : 4.1 KW/3600 RPM Fuel : Petrol Fuel tank capacity (L) : 3.6 Starting System : Recoil Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Arc Type , Up/Down Tyre : 4.00-8 Solid Tyre Side Disc : 1 Set Blades (Dry Blade) : 32 (2+1+1) Tilling Scope (MM) : 1000 Tilling Depth (MM) : 150-300 Weight (KG) : Packing : Wooden	
8	PWP - 104A AGRICULTURAL POWER WEEDER ADI-170P BALWAAN	POWER WEEDER 7HP PETROL	Engine Type : 170F Displacement(CC) : 208 Max Power : 4.1 KW/3600 RPM Fuel : Petrol Fuel tank capacity (L) : 3.6 Starting System : Recoil Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Arc Type , Up/Down Tyre : 4.00-8 Solid Tyre Side Disc : 1 Set Blades (Dry Blade) : 32 (2+1+1) Tilling Scope (MM) : 1000 Tilling Depth (MM) : 150-300 Weight (KG) : Packing : Wooden	

ADIYOGI INTERNATIONAL				
WEEDER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
9	PWP - 105 AGRICULTURAL POWER WEEDER ADI-210P BHOOMI			
10	PWP - 106 AGRICULTURAL POWER WEEDER ADI BHOOMI GOLD			
11	PWD - 201 AGRICULTURAL POWER WEEDER ADI-178D	POWER WEEDER 7HP DIESEL	Engine Type : 178FE Displacement(CC) : 305 Max Power : 4.0 KW/3600 RPM Fuel : Diesel Fuel tank capacity (L) : 6.0 Starting System : E Start (without battery) Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Up/Down , Left/Right Tyre : 4.00-8 Pneumatic Side Disc : 1 Set Front Bumper : Available Blades (Dry Blade) : 32 (2+1+1) Tilling Scope (MM) : 1150 Tilling Depth (MM) : 150-300 Weight (KG) : 151	
12	PWD - 202 AGRICULTURAL POWER WEEDER ADI-186D	POWER WEEDER 9HP DIESEL	Engine Type : 186FE Displacement(CC) : 418 Max Power : 6.3 KW/3600 RPM Fuel : Diesel Fuel tank capacity (L) : 5.5 Starting System : E Start (without battery) Transmission : Gear Driven Gear Shifting : -1,2,0,1 Handle Bar System : Up/Down , Left/Right Tyre : 5.00 -12 Pneumatic Side Disc : 1 Set Front Bumper : Available Front Goods Shelf : Available Blades (Dry Blade) : 40(3+1+1) Tilling Scope (MM) : 1150 Tilling Depth (MM) : 150-300 Weight (KG) : 177 Packing : Wooden	

ADIYOGI INTERNATIONAL				
WEEDER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
13	PWD - 203 AGRICULTURAL POWER WEEDER ADI-350D- BHOOMI			
PRICES INCLUDING GST				

ADIYOGI INTERNATIONAL				
CHAFF CUTER - VERSION-V3.08.23				
SLNO	ITEM CODE	ITEM DESCRIPTION	TECHNICAL SPECIFICATIONS	PICTURE
1	CCM -101 AGRICULTURAL CHAFF CUTTER MACHINE 3 HP - BHOOMI	CHAFF CUTTER	CUTTER CAPACITY : 400 -1200 KG/HR WEIGHT : 53KG POWER : 2.2 KW / 3 HP NO OF BLADE : 4 GEAR TYPR: WITH GEAR ROLLER : CAST IRON	
	CCM -102 AGRICULTURAL CHAFF CUTTER MACHINE 3 HP - KISAN	CHAFF CUTTER	CUTTER CAPACITY : 400 -1200 KG/HR WEIGHT : 49KG POWER : 2.2 KW / 3 HP NO OF BLADE : 4 GEAR TYPE: WITH GEAR ROLLER : WROUGHT IRON	
	CCM -101 AGRICULTURAL CHAFF CUTTER MACHINE 3 HP - BHOOMI WITHOUT MOTOR			
	CCM -102 AGRICULTURAL CHAFF CUTTER MACHINE 3 HP - KISAN WITHOUT MOTOR			
PRICES INCLUDING GST				